



Think ahead.

Tork Xpress® Soft Multifold Hand Towel

100289



Description

Provide superior hand drying and comfort to your guests with the soft Premium Tork Xpress® Soft Multifold Hand Towels that are gentle to the hands with a high quality feel. These towels are suitable for the Tork Xpress® Multifold Hand Towel Dispenser for medium traffic washrooms. It fits small places and provides both comfort and hygiene to your guests.

- Attractive Tork Leaf décor: designed to make a great impression
- A large, soft hand towel with a high quality feel that leaves a lasting impression
- QuickDry™ – our strongest, most absorbent paper, for more efficient drying with less waste
- One-at-a-time dispensing for reduced consumption and increased hygiene
- QuickDry

Certifications



Product Details

System	H2
Color	White
Folding type	Multifold Z
Panel	3
Print	No
Unfolded Width	21.3 cm
Folded width	21.3 cm
Embossing	Yes
Pulp Quality Indicator	3A
Folded length	8 cm
Ply	2
Number of Sheets	150
Total Grammage	38.2 g
Unfolded length	24 cm
Roll/Piece Net Weight	2.01 g
Fibre Type	Mixed (Virgin/Recycled)
Roll Gross Weight	2.01 g

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	7322540159974	7322540159981	7322540746990
Packaging Material	Banderole	Plastic	-
Pieces	150	3150 (21 CON)	78750 (25 TRP)
Height	130 mm	213 mm	1,226 mm
Length	80 mm	595 mm	1,200 mm
Width	213 mm	390 mm	1,000 mm
Gross Weight	308.32 g	6.54 kg	163.53 kg
Net Weight	302.12 g	6.34 kg	158.61 kg
Volume	2.21 dm3	49.43 dm3	1.47 m3
Layers Per Pallet	-	-	5
TRP Per Layer	-	-	5



Tork Xpress® Soft Multifold Hand Towel

100289



Compatible Products



Tork Xpress Multifold Hand Towel Disp SS
460004



Tork Xpress Multifold Hand Towel Disp Wh
552000



Tork Xpress Multifold HT Disp Black
552008



Tork Xpress Countertop Multif HT Disp Bl
552208

Environmental Information

Content	The product is made from Fresh fibres Recycled fibres Chemicals The packaging material is made from paper or plastic.
Material	Fresh fibres and recycled fibres In the tissue process, both fresh fibres and recovered paper are being used. The choice of pulp is made based on product requirements and pulp availability so the pulp is used in the most efficient way. Recycling of paper is an efficient use of resources as the wood fibres are used more than once. High demands are put on quality and purity of recovered fibres, considering each step of the chain (collection, sorting, transport, storage, use), to ensure safe and hygienic products. Recycled fibres can be produced from different types of recovered paper, such as collected newsprint, magazines, office waste, paper cups, drink cartons, corrugated boxes and paper hand towels. The choice of recovered paper grades is made for each product, depending on its specific requirements on performance properties and brightness. The paper is dissolved in water, washed and treated with chemicals under high temperature and screened to separate out impurities. Fresh fibre pulp is produced from softwood or hardwood. The wood is subject to chemical and /or mechanical processes where the cellulose fibres are separated out and lignin and other residuals are removed.Bleaching of pulp, used for tissue, is primarily a process to remove substances that could have a negative effect on important properties of the finished product such as purity, absorption, strength and colour of the pulp. There are two different methods used today for bleaching fresh fibre pulp: ECF (elementary chlorine free), where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide are used. Bleaching of the recycled fibre pulp is done using chlorine-free bleaching agents (hydrogen peroxide and sodium dithionite).
Chemicals	All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.

Tork Xpress® Soft Multifold Hand Towel

100289

To control product performance we use additives:

- Wet strength agents (for Wipers and Hand Towels)
- Dry strength agents (are used together with mechanical treatment of the pulp to make strong products like wipers)
- For coloured papers dyes and fixatives (to secure perfect fastness of the colour) are added
- For printed products printing inks (pigments with carriers and fixatives) are applied
- For multi ply products we often use a water soluble glue to secure the integrity of the product

In most of our mills we do not add optical brighteners but it often occurs in recovered paper since it is used in printing paper.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibres to prevent fibre loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke and to utilise recovered fibres we use:

- Pulping aid (chemicals that help to repulp wet strong paper)
- Flocculation chemicals (that help to clean out printing inks and fillers from recovered paper)
- Bleaching agents (to increase the brightness of pulp from recovered paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Food Contact	This product fulfills the legislative requirements for Food Contact materials, confirmed by external certification performed by a third party. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.
Environmental certification	This product is certified with the EU Ecolabel with certificate number SE/004/001. This product is certified for FSC® with certificate number SA-COC-008266.
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 07-02-2023 Revision date: 02-02-2026
Production	This product is produced at Skelmersdale - GB mill and certified according to ISO 9001, ISO 14001 (Environmental management systems), OHSAS 18001 and FSC Chain-Of-Custody.
Destruction	This product is mainly used for personal hygiene and can be collected together with household waste.

Essity UK Ltd, Southfields Road, Dunstable, Bedfordshire LU6 3EJ, United Kingdom